

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PJ1 TrackSpot
PRODUCT CODE: SP-169-5

HMIS CODES: H F R P
 1 0 1 B
CONTROL CODE: SP-169-5

===== **SECTION I- MANUFACTURER IDENTIFICATION** =====

MANUFACTURED FOR: PJH BRANDS
ADDRESS: 8747 E. Via de Comercio, Scottsdale, AZ 85258 USA
EMERGENCY PHONE: CHEMTREC® 703-527-3887 SHIPPER: PJH BRANDS, Contract #CCN17400
DATE REVISED: 9/30/13 **INFORMATION PHONE:** 1-480-991-8002
REASON REVISED: Updated **NAME OF PREPARER:** PJH BRANDS

===== **SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION** =====

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS			VAPOR PRESSURE mmHg @TEMP (ppm)
		OSHA PEL	ACGIH TLV (STEL)	OTHER TLV	
Paraffin waxes and Hydrocarbon waxes	063449-39-8	N/A	N/A	N/A	

NE= none established S= Skin SP = Supplier STEL = Short Term Exposure Limits
 * Indicates toxic chemical(s) subject to the reporting requirements of Section 313 of Title III & 40 CFR 372.
 Complies with the OSHA Hazard Communication Standard

===== **SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS** =====

BOILING POINT: N/A **SPECIFIC GRAVITY:** 1.6
VAPOR DENSITY: N/A **EVAPORATION RATE:** N/A
SOLUBILITY IN WATER: No **PRESSURE:** N/A
APPEARANCE AND ODOR: Off White Powder with Slight Odor

===== **SECTION IV - FIRE AND EXPLOSION HAZARD DATA** =====

FLASH POINT: >392° F **METHOD USED:** COC
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A **UPPER:** N/A
EXTINGUISHING MEDIA: WATER FOG; FPAM; DRY CHEMICAL

SPECIAL FIREFIGHTING PROCEDURES:

PROTECT AGAINST DECOMPOSITION PRODUCTS, WEAR SELF CONTAINED BREATHING APPARATUS. IF THIS MATERIAL IS INVOLVED IN A FIRE, KEEP SURROUNDING CONTAINERS COOL WITH WATER SPRAY AND CONTAIN ALL RUNOFF.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

MATERIAL BECOMES MOLTEN AND FREE FLOWING AT SOFTENING POINT. DECOMPOSITION PRODUCES TOXIC GAS..

===== **SECTION V - REACTIVITY DATA** =====

STABILITY: STABLE **CONDITIONS TO AVOID:** AVOID HEATING TO DECOMPOSITION.
 MATERIAL BECOMES MOTEN AND FREE FLOWING AT SOFTENING POINT.

INCOMPATIBILITY (MATERIALS TO AVOID):

STRONG OXIDIZING AND REDUCING AGENTS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

HYDROGEN CHLORIDE, OXIDES OF CARBON.

HAZARDOUS POLYMERIZATION:

NOT KNOWN TO OCCUR.

MATERIAL SAFETY DATA SHEET

===== **SECTION VI - HEALTH HAZARD DATA** =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INHALATION OF DUSTS MAY CAUSE RESPIRATORY IRRITATION. INHALATION OF VAPOR/FUMES GENERATED BY HEATING THIS PRODUCT MAY CAUSE RESPIRATORY IRRITATION WITH THROAT DISCOMFORT, COUGHING AND DIFFICULTY BREATHING.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE EYE IRRITATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NO HAZARD IN NORMAL INDUSTRIAL USE.

HEALTH HAZARDS (ACUTE AND CHRONIC)

NOT AVAILABLE.

CARCINOGENICITY: NTP: NONE IARC MONOGRAPHS: N/A OSHA REGULATED: Non Hazardous

WARNING: None

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

PRE-EXISTING EYE, SKIN, AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: HOLD EYELID OPEN, FLUSH WITH LARGE VOLUME OF WATER, CONTINUE FOR 15 MINUTES. IF IRRITATION DEVELOPS, SEEK MEDICAL ATTENTION.
SKIN CONTACT: BRUSH POWDER FROM SKIN, WASH AREA WITH MILD SOAP AND WATER. IF IRRITATION DEVELOPS, SEEK MEDICAL ATTENTION. IF MOLTEN MATERIAL IS ON SKIN, COOL RAPIDLY WITH COLD WATER. DO NOT ATTEMPT TO PEEL FROM SKIN. SEEK MEDICAL ATTENTION FOR THERMAL BURN.
INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITING. RINSE MOUTH AND DILUTE WITH WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

NOTE TO PHYSICIANS: TREAT AS EXPOSURE TO ANY FINE POWDER. CONSIDER POWER AS ORGANIZ CHEMICAL.

===== **SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE** =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

TAKE MEASURES TO PREVENT MATERIAL FROM ENTERING WATERWAY. PREVENT CONTACT WITH STRONG OXIDIZERS AND REDUCERS. SWEEP AND SHOVEL MATERIAL TO RECLAIM CONTAINER, VACUUM REMAINING MATERIAL INTO DISPOSAL CONTAINER.

WASTE DISPOSAL METHOD

DO NOT DISPOSE OF MATERIAL TO THE ENVIRONMENT.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

DO NOT WEAR CONTAMINATED CLOTHING. WASH PRIOR TO EATING, DRINKING, SMOKING, OR USE OF RESTROOM AND WHEN LEAVING WORK. MINIMIZE DUST GENERATION AND ACCUMULATION. PREVENT STATIS CHARGE WHEN HANDLING MATERIAL. DO NOT STORE NEAR HEAT OR OPEN FLAME.

OTHER PRECAUTIONS

KEEP AWAY FROM CHILDREN.
AVOID UNNECESSARY CONTACT.
DO NOT TAKE INTERNALLY. .
USE WITH ADEQUATE VENTILATION - DO NOT INHALE VAPORS/DUST.

===== **SECTION VIII - CONTROL MEASURES** =====

RESPIRATORY PROTECTION

NIOSH APPROVED AIR-PURIFYING DUST MASK. PARTICULATE RESPIRATOR WITH EXHALATION VALVE TO PREVENT STATIC DISCHARGE.

MATERIAL SAFETY DATA SHEET

VENTILATION

N/A

PROTECTIVE GLOVES

N/A

EYE PROTECTION

WEAR CHEMICAL GOGGLES AND FACE SHIELD IF HANDLING MOLTEN MATERIAL.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

WORK CLOTHING SUFFICIENT TO PREVENT ALL SKIN CONTACT SHOULD BE WORN, SUCH AS COVERALLS AND LONG SLEEVES. FOR HEATED/MOLTEN PRODUCT, USE ANY TYPE OF THERMAL INSULATING GLOVES AND OTHER CLOTHING AS NECESSARY TO PROTECT FROM THERMAL BURNS.

WORK/HYGIENIC PRACTICES

USE GOOD INDUSTRIAL HYGIENE PRACTICES IN HANDLING THIS MATERIAL. EYE WASH FOUNTAINS AND EMERGENCY SHOWERS ARE RECOMMENDED. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

===== **SECTION IX - DISCLAIMER** =====

DISCLAIMER

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES, WHICH ARE BELIEVED TO BE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. IT RELATES ONLY TO THE MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR PROCESS.

===== **TRANSPORTATION INFORMATION** =====

UN: Not Hazardous
Description: PLASTIC FLAKE IN GRANULES
Class or Rate: 60
NMFC: 156200
Inner Packing: None- Bulk Load
Outer Packing: Plastic Jerrican
Shippable via Air: Yes